


# Patent claims

1. Compounds of the general formula (I):

5



wherein

10  $R^1$  is a hydrogen atom, a heteroalkyl, heteroalkylcycloalkyl or heteroaralkyl radical,

15 the radicals  $R^2$ , each independently of any other(s), are halogen atoms, hydroxy, amino, nitro or thiol groups, alkyl, alkenyl, alkynyl, heteroalkyl, aryl, heteroaryl, cycloalkyl, alkylcycloalkyl, heteroalkylcycloalkyl, heterocycloalkyl, aralkyl or heteroaralkyl radicals,

20 the radicals  $R^3$ , each independently of any other(s), are halogen atoms, hydroxy, amino, nitro or thiol groups, alkyl, alkenyl, alkynyl, heteroalkyl, aryl, heteroaryl, cycloalkyl, alkylcycloalkyl, heteroalkylcycloalkyl, heterocycloalkyl, aralkyl or heteroaralkyl radicals,

25

G is a glycosyl group,

n is 0, 1, 2, 3 or 4 and

m is 0, 1, 2, 3 or 4,

5 or a pharmacologically acceptable salt, solvate, hydrate or pharmacologically acceptable formulation thereof.

2. Compounds according to claim 1, wherein wherein R<sup>1</sup> is  
10 a hydrogen atom or a group of formula COOR<sup>4</sup> or CONR<sup>5</sup>R<sup>6</sup> wherein R<sup>4</sup>, R<sup>5</sup> and R<sup>6</sup> are, each independently of the others, hydrogen atoms, alkyl, alkenyl, alkynyl, heteroalkyl, aryl, heteroaryl, cycloalkyl, alkylcycloalkyl, heteroalkylcycloalkyl, heterocyclo-  
15 alkyl, aralkyl or heteroaralkyl radicals, or R<sup>5</sup> and R<sup>6</sup> together are part of an optionally substituted heteroaryl or heterocycloalkyl ring.

3. Compounds according to claim 1 or 2, wherein R<sup>4</sup> is a  
20 hydrogen atom, a C<sub>1</sub>-C<sub>4</sub>alkyl or benzyl radical.

4. Compounds according to one of claims 1 to 3, wherein R<sup>1</sup> is a hydrogen atom or a group of formula COOH or COOEt.  
25

5. Compounds according to one of claims 1 to 3, wherein R<sup>1</sup> is a group of formula CONHR<sup>5</sup> wherein R<sup>5</sup> is defined as in one of the preceding claims.

30 6. Compounds according to one of claims 1 to 5, wherein m is 0.

7. Compounds according to one of claims 1 to 5, wherein m is 1 and R<sup>3</sup> is a hydroxy group which is bonded to the  
35 phenyl ring in a position ortho to the amidino group.

8. Compounds according to one of claims 1 to 7, wherein n is 2.
9. Compounds according to one of claims 1 to 8, wherein  
5 the radicals  $R^2$ , each independently of any other(s), are  $C_1$ - $C_4$ alkyloxy,  $C_1$ - $C_4$ hydroxyalkyloxy or benzyloxy groups.
10. Pharmaceutical compositions comprising a compound  
10 according to claims 1 to 9 as active ingredient and, optionally, carrier substances and/or adjuvants.
11. Use of a compound or of a pharmaceutical composition  
15 according to one of claims 1 to 10 in inhibiting factor VIIa.
12. Use of a compound or of a pharmaceutical composition  
20 according to one of claims 1 to 10 in the preparation of a medicament for the treatment and/or prevention of thromboembolic conditions, arterial restenosis, septicaemia, cancer, acute inflammation or other conditions mediated by factor VIIa activity.
13. Use of a compound or of a pharmaceutical composition  
25 according to one of claims 1 to 10 in the preparation of a medicament for utilisation in vascular surgery.